



Connect, Protect, Power and Terminate. We've Got You Covered.



Fieldbus Device Couplers and Power Supplies deliver a fast and easy way to connect, protect, power and terminate multiple fieldbus devices in FOUNDATION fieldbus™ and PROFIBUS PA segments.



FOUNDATION Fieldbus™ and PROFIBUS PA Device Couplers and Power Supplies



ROUTE-MASTER™

Split Architecture Intrinsically-Safe Fieldbus System

Connect FISCO or ENTITY Devices

RM100
Fieldbus Power Supply



H1 or PA
Fieldbus
Interface


Dual Trunk
Outputs from
Each Isolator Card
Deliver 350mA
per Segment



Redundant,
Isolated Power for
Up to 8 Segments

FOUNDATION Fieldbus H1
or PROFIBUS PA
1900m (6233ft) Maximum
Segment Length

SAFE AREA



WORLDWIDE • www.miinet.com

United States • info@miinet.com
Tel: (818) 894-7111 • FAX: (818) 891-2816
Australia • sales@mooreind.com.au
Tel: (02) 8536-7200 • FAX: (02) 9525-7296

Belgium • info@mooreind.be
Tel: 03/448.10.18 • FAX: 03/440.17.97
The Netherlands • sales@mooreind.nl
Tel: (0)344-617971 • FAX: (0)344-615920

China • sales@mooreind.sh.cn
Tel: 86-21-62491499 • FAX: 86-21-62490635
United Kingdom • sales@mooreind.com
Tel: 01293 514488 • FAX: 01293 536852